



# X5Nav

## Features >

- Transmits its location every 10 seconds
- Small - 3.185"L x 4.88"W x .783"H
- No external antenna
- Multiple alert notifications by email or text message (geofences, speed, etc.)
- 100% web-based | no software to install | accessible from anywhere
- Internal rechargeable Li-Polymer battery
- Unlimited messaging to/from device via web-based tracking system
- Remotely set destination from web-based tracking system

# The USFT X5Nav

Dimensions	3.125"L x 2.5"W x .875"H
Operating Temperature	-10° C to 60° C
Power Source	1400mAh non-removable, rechargeable Lithium-Polymer battery
GSM Channels	850/1900 (United States) 900/1800 (Europe, Australia, Asia and Middle East)
Update Frequency	If speed is greater than 5 mph, device will update every 10 seconds
Antenna	Internal integrated dual-mode GSM/GPRS+GPS
Notifications	Multiple alert options (geofences, speed, ignition, etc.) via text message or email
Historical Playback	90 days of historical playback stored at server
Reporting	Individual vehicle report, start/stop report, excessive idling report and more...
Applications	Fleet management, theft notification and recovery, teen driver monitoring
CPU / Memory	SiRF ATLAS III dual-core/64Mb DRAM   2 GB internal flash   8 GB micro-SD slot
Display	4.3" TFT resistive touchscreen   16:9 aspect ratio   480x272 pixels



 **USFleetTracking**

# X5Nav